

ACMH SCHOOL OF RADIOLOGIC TECHNOLOGY

TECHNICAL STANDARDS ó Form #31

In keeping with the spirit of the Americans with Disabilities Act, the ACMH School of Radiologic Technology has established a set of technical standards for the program in relation to the school's curriculum. These standards are necessary for successful completion of the program and ultimately a career as a radiologic technologist. We will make accommodations for a student with qualified disabilities who can perform essential job functions (with or without accommodations), as long as the accommodations do not cause the hospital or other students or employees undue hardship. The technical standards are not criteria for admission; they are standards.

Please indicate in the table below with a check mark your choice for each of the program's technical standards.

Technical Standard	Meets standards	Unable to fully meet standards
1. <u>GOOD EYESIGHT EITHER NATURALLY OR THROUGH CORRECTION.</u> The student must be able to observe patients from at least an eight-foot distance. He/she must also be able to read information from the computer and radiography requests.		
2. <u>THE ABILITY TO HEAR INSTRUCTIONS AND VERBAL REQUESTS BY PATIENTS.</u> The student must be able to hear patients from different locations within the imaging room (at least an eight foot distance).		
3. <u>PHYSICALLY ABLE TO STAND AND MOVE AROUND FOR LONG PERIODS OF TIME.</u> The student must be able to stand and move about for approximately six hours.		
4. <u>PHYSICALLY ABLE TO MOVE AND LIFT PATIENTS.</u> The student must be able to move patients onto the imaging table with assistance.		
5. <u>A MODERATE DEGREE OF DEXTERITY TO MANIPULATE RADIOGRAPHIC EQUIPMENT AND THE KEYBOARD OF A COMPUTER.</u> The student must be able to move imaging equipment and type basic information on the computer keyboard.		

Please select one of two options listed below with a check mark beside your choice. Then print, sign, and date the form.

Option 1 - I have read and understand the technical standards. To the best of my knowledge, I am currently able to fully meet the standards indicated without accommodations.

Option 2 - I have read and understand the technical standards. To the best of my knowledge, I am currently unable to fully meet the items indicated without accommodations. I am requesting the following accommodations. (Please indicate accommodations needed on the back of this form.)

I have selected _____ Option #1
 _____ Option #2

Name (printed) _____

Signature _____

Date _____